






<u>-</u>16.5


































Makoto FUNABIKI, et al.
MOBIL COMMUNICATION METHOD...
MAT-8809US Customer #23122
17/42

















										_
S		AOJYAd							Ver.	
SEQUENCE NUMBER	CHECKSUM	PAYLOAD PROT. HEADER LENGTH	DESTINATION ADDRESS			SOURCE) - - - - - - - - - - - - - - - -	PAYLOAD LENGTH	TRAFFIC CLASS	/ 1900
LIFETIME	STATUS	MH TYPE	N ADDRESS	· · · · · · · · · · · · · · · · · · ·		SOURCE ADDRESS		NEXT HEADER	FLOW LABEL	
IMΕ	区	1								
141	RESERVED	RESERVED	ı			1	į	HOPLIMIT		


	/ 20	9001			Z002									
В		PAYLOAD PROT.			/	NEXT HEADER						Ver.		++():1
RESERVED	CHECKSUM				•						PAYLOAD LENGTH	TRAFFIC CLASS		
		HEADER LENGTH		МОН		HEADER EXTENSION LENGTH	DESTIN		SOUF		GTH	S		
		HM	:	HOME ADDRESS		,	DESTINATION ADDRESS		SOURCE ADDRESS		NEXT		2000	
LIFETIME	SEQUENCE	MH TYPE				OPTION TYPE	S				NEXT HEADER	FLOW LABEL		
IME	QUENCE NUMBER	RESERVED	-			OPTION DATA LENGTH					HOPLIMIT			
		D				ENGTH					T			

	SEQUENCE NUMBER	CHECKSUM	PAYLOAD PROT HEADER LENGTH			NEXT HEADER HEADER EXTENSION LENGTH	DES		S	T	PAYLOAD LENGTH	Ver. TRAFFIC CLASS		FIG.25
2101	LIFE	STATUS	атн МН ТҮРЕ	HOME ADDRESS		N LENGTH OPTION TYPE	DESTINATION ADDRESS		SOURCE ADDRESS		NEXT HEADER	FLOW LABEL	2100	
	FETIME	RESERVED	RESERVED			OPTION DATA LENGTH				1_	HOPLIMIT			












Ver. TRAFFIC CLASS FLOW LABEL PAYLOAD LENGTH SOURCE ADDRESS SOURCE PORT NUMBER DESTINATION ADDRESS SOURCE PORT NUMBER CHECK Ver. U RESERVED TYPE SEQUENCE NUMBER SUB-OPTION TYPE SUB-OPTION DATA LENGTH CONTEXT ID L2 TYPE LLA LLA FLOW LABEL F									T						l E
AFFIC CLASS LOAD LENGTH SOURCE ADDRESS BESTINATION ADDRESS E PORT NUMBER TA LENGTH TYPE SEQUENCE NUMBER SUB-OPTION DATA LENGTH CON LLA		L2	SUB-OF		Ver.			`.						Ver.	G.30
AFFIC CLASS LOAD LENGTH SOURCE ADDRESS BESTINATION ADDRESS E PORT NUMBER TA LENGTH TYPE SEQUENCE NUMBER SUB-OPTION DATA LENGTH CON LLA		TYPE	NT NOIT		URES		SOUF						PΑ		:
SOURCE ADDRESS BESTINATION ADDRES PE SEQUENCE NUMBER DATA LENGTH CON					SERVED	DATA LI	CE POP						YLOAD	RAFFIC	
SOURCE ADDRESS BESTINATION ADDRES PE SEQUENCE NUMBER DATA LENGTH CON			SUB-OP1			NGTH	RT NUMI	200					LENGT	CLASS	1 1 1 1
ADDRESS ADDRESS ON ADDRES E NUMBER CON	LLA		TON DAT		TYPE	d	BER		DE		·				
ADDRESS ADDRESS ON ADDRES E NUMBER CON			A LENGT	SEQUEN				•	STINAT			SOURCE			•
FLOW LANEXT HEADER NEXT HEADER CONTEXT ID LLA			H	CE NUN					ION ADI			E ADDRI			: :
2500 FLOW L/ ADER STINATI CI R A		F	CONTE	1BER			DE		DRESS			ESS	NEXT H		
		P	XT ID		R	Ω Ω	STINATI						ADER	-LOW L	2500
			STAT		RESERVED	CHECKSUM	RT NUME			•			HOPL		
HOPL HOPL			us cod				3ER						IMIT=25		
FLOW LABEL HEADER HOPLIMIT=25 HEADER HOPLIMIT=25 HOPLI		\	m										55		
HOPLIMIT=255 T NUMBER STATUS CODE		\	2501												


T		SUB-OPT		Ver.					1					Ver.	FIG.31
		SUB-OPTION TYPE		U RESERVED	DATA LENGTH	SOURCE PORT NUMBER					٠		PAYLOAD LENGTH	TRAFFIC CLASS	
		SUB-OPTION DATA LENGTH	S	TYPE	NGTH	T NUMBER	4	ţ	D				LENGTH	CLASS	
ADDRESS		TA LENGTH	SEQUENCE NUMBER		:				DESTINATION ADDRESS			SOURCE ADDRESS			
<i>o</i> s		CONTEXT ID	UMBER	RE	CHE	DESTINATIO		i i	DDRESS			DRESS	NEXT HEADER	FLOW LABEL	2600
		ADDRESS TYPE		RESERVED	ECKSUM	DESTINATION PORT NUMBER							HOPLIMIT=255	EL	00
	1									1			T=255		
	. /	2601													





LIFETIME	SUB TYPE	DATA LENGTH	TYPE
1 1)F ADDRESS	NEW CARE-OF ADDRESS	
	RVED	RESERVED	
RESERVED PREFIX LENGTH	HTR R	IDENTIFIER DATA LENGTH	TYPE
CHECKSUM	CHE	CODE	TYPE
	1801	18	
ı	N ADDRESS	DESTINATION ADDRESS	İ
-			l ' .
1 1	ADDRESS	SOURCE ADDRESS	
1			
NEXT HEADER HOPLIMIT=255	NEXT HEADER	PAYLOAD LENGTH	PAYLO
BEL	FLOW LABE	TRAFFIC CLASS	Ver. TRAI
	0	1800	

















List of Reference Marks of the drawings

- 1 Internet
- 10, 11 local network
- 20 mobile communication apparatus
- 21, 22 lower layer processing part
- 23 IP processing part
- 24 upper layer processing part
- 25 mobile IP/Fast Mobile IP processing part
- 26 Fast Mobile IP control part
- 27 Fast Mobile IP compliance determining part
- 28 access router searching part
- 40, 70 home agent apparatus
- 41, 42 lower layer processing part
- 43 IP processing part
- 44 upper layer processing part
- 45 mobile IP/Fast Mobile IP processing part
- 46 buffer management part
- 47 buffer memory
- 48 movement-destination access router searching part
- 49 access router information searching part
- 50 access router information list
- 60 access router information server list
- 61, 62 lower layer processing part
- 63 IP processing part
- 64 upper layer processing part
- 65 access router information list
- 66 access router information searching part

Makoto FUNABIKI, et al. MOBIL COMMUNICATION METHOD... MAT-8809US Customer #23122 42/42

67	access router information notifying part
71	data forwarding part
72	message generating part
80	correspondent node
90	buffer node
91	lower layer processing part
92	IP processing part
93	buffer memory
94	buffer management part
100a	to 100f access router apparatus